IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Jackson C. Koo et al

Docket No.: IL-10814

Serial No. :

09/919,171

Art Unit

Filed

July 30, 2001

Examiner

For

Stable Glow Discharge Detector

Notice of Omitted Items in a Nonprovisional Application

Commissioner for Patents Washington, D.C. 20231

Sir:

In response to the Notice of Omitted items mailed 9/17//2001, wherein it states that items appear to have been omitted from application: Figure 3 described in the specification. Figure 3 which was inadvertently omitted at the time of filing the application is enclosed. Also enclosed is a supplemental declaration, and a Petition under 37 CFR 1.182 requesting the later filing date, along with the \$130.00 petition fee.

Respectfully submitted,

Alan Thompson

Deputy Laboratory Counsel

Reg. No. 29,981

Enclosures:

Figure 3

Supplemental Declaration

Petition Under 37 CFR 1.182 with Fee Authorization

11-27-01

0300

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

oplicant : Jackson C. Koo et al.

Attorney Docket No.: IL-10814

Serial No. : 09/919,171

00 /010 171

Art Unit:

Filed

: July 30, 2001

Examiner:

For

: STABLE GLOW DISCHARGE DETECOR

Commissioner for Patents Washington, D.C. 20231

EXPRESS MAIL CERTIFICATE

"Express Mail" label number <u>EL674028550US</u>

Date of Deposit ///15/2001

I hereby certify that the following attached

- 1. Cover letter- Notice of Omitted Items in a Nonprovisional Appl.
- 2. Copy of Notice of Omitted Items in a Nonprovisional Application from PTO
- 3. Petition Under 37 CFR 1.182
- 4. Supplemental Declaration
- 5. New for drawing (Figure 3)
- 6. Express Mail Certificate
- 7. Postcard

is being deposited with the United States Postal Service "Express Mail Post Office to addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box: Patent Application, Washington, D.C. 20231.

Teresa Walls

(Type or print name of person mailing paper)

(Signature of person mailing paper or fee)